




2022 CASES WORKBOOK



Our Brand

We're about happiness by cases. It means we're not just in the business of creating protective cases, even though that is what we do. Our everyday commitment is designed to make people happy.

From an ever-growing collection of innovative products to our passionate team who makes it happen, it's all about happiness.

Our Products

We're always looking for what's next. We're constantly innovating our original designed form and function, proving a fresh approach to the art of cases. By incorporating different styles, top quality materials and eye-catching patterns into our design, we make more than a case. We make a statement.

Our History

HPRC cases were born in 2006 with one simple premise: we can design a better case. In more than 15 years HPRC has grown into a successful international business, teaming up with important companies and partners. Our products can be found in more than 80 countries and have garnered top awards and praise. As we grow, our entrepreneurial spirit continues to drive the HPRC culture. After all, it's what helped us build one of the world's best hard cases brand.

Commitments

Our commitments to you:

1.UNDERSTAND the problems of your market and your specific requirements. Through our expert knowledge of technological and economic trends we can offer an uncompromisingly individual approach to each customer.

2.FIND a transport solution tailored to your requirements. Our extensive cases range, our custom solutions that go far beyond our product offer, our team that assists you in selecting the case that is best suited to your own needs, are our core strengths.

3.LISTEN to and take account of your comments, through our network of experts and our frequent satisfaction surveys.

4.BE incessantly innovative and competitive in the professional cases market.

Inside the **R**-Evolution

Revolution begins inside first: we start every day thinking different, exploring new ideas, projects and solutions. We work side by side in Italy, but we turn to people all around the world to inspire and get inspired.

We are involved in a constant revolution that goes hand in hand with the spirit of renewal of the brand. Our day-to-day commitment is to meet customer needs and personalize their journey. To do better, to offer the best.



Ultralight. Watertight. Smart Cases.

HPRC cases can be used for all sorts of applications and different areas: from medical and hi-tech (measurement, laser, etc) to industrial and electronics, military and Government police law enforcement, nautical, outdoor, imaging, broadcasting and many more. HPRC provides total protection to the carried equipment against dust, water, impacts and corrosion caused by chemical agents.



Fire | Emergency | Medical



Imaging & Broadcasting



Industrial | Electronic | High Tech



Military | Government



Outdoor | Diving | Marine

Standard cases.

HPRC cases are available with a standard setup if you don't need any special customization regarding the shell or the interior foam. Here are the 5 possible standard configurations.

* EMPTY



* CUBED FOAM



* SECOND SKIN



* INTERIOR BAG



* SOFT PADDED OPEN DECK + DIVIDERS



*PANEL FRAME KIT AVAILABLE

Oem cases.

We are cases producers,
if you do not find the right size or best liked design
we will make a customized case for you

1. Product inquiry >>>> Mold + price offer
2. Contract signing >>>> Design drawing
3. Client confirmation >>>> Mold making
4. Sample checking >>>> Production arrangement



377

340

4

103

54

105

1.5

Custom fit cases.

Customization concerns: color, printing, adhesive, foam inlay (die cut, water cut, milled, moulded), thermoformed inlay, lid panels and organizers, extra working on the cases shell (holes, external applications) keeping the watertightness.



SHELL CUSTOMIZATION

HPRC customization service provides shell customization, including holes for external connections.

HPRC panel frame accessory (HPRCPF) allows customers to install a control panel into the case, ensuring a perfect fit.



LAYOUT CUSTOMIZATION

We give customers different equipment layouts options in order to optimize space and handiness.



COVER CUSTOMIZATION

Customization also includes the possibility to design solutions in order to use the cover as a glove compartment. We can provide organizers, special tools addition, shell modifications and custom colors.



HIGH VISIBILITY INLAYS

A special high visibility inlay can be designed in order to avoid forgetting equipment on the field after use.



WATER CUTTING TECHNOLOGY FOAMS

Expanded polietilene foams are available in various densities (Kg/m³), resistance to compression (kPal) and resistance to different temperatures ranges. These foams, produced with water cutting technology, guarantee protection and allow a wide range of customizations.



MULTY LAYER

A multi layer case is a handy solution, especially when equipment is made of many small and different parts that must be stored and protected into one case only.



INJECTION INLAYS

The custom inlay made in expanded polypropylene of different densities guarantees a perfect protection and a professional look to the case. Our service includes the initial study of the mould and goes trough the prototype phase and final production.



MILLED FOAMS

The milling technology allows to get one piece inlays with many different depths.

HPRC:

innovation, technology and design.

TTX01® COMPOUND



Most hard watertight cases are made in standard pp: our R&D department has developed an enhanced compound, still based on pp, now balanced with additional high performance resins. TTX01® allows to produce cases which are lighter in weight and stronger in robustness. The special mix we add makes the HPRC shell thinner and more elastic, increasing therefore the shockproof degree and the lightweight. On top of that, maintaining pp characteristics, HPRC cases are acidproof, scratchproof, able to resist to extreme weather conditions and temperature changes (all products are tested from - 40° c up to 80°c). The hardware of the cases is made of steel.



AIREX PURGE VALVE



AirEx is the new automatic purge valve. Its auto press release adjusts to changing environments automatically, and helps avoiding the valve from detaching from the case itself. The valve works through a GVS medical filter which allows the air exchange while protecting from water, dust and sand.



LIZARD PATT



A revolutionary ergonomic handle, made of PP and SEBS materials, which provides:

- high quality and secure grip, even at low temperatures and in wet conditions
- no-slip for better control and safety, also in presence of oils, grease and liquids
- greater level of comfort
- optimal handling
- scratch protection
- strengthened resistance
- long durability

Also the extensible trolley handles, made of ALU + SEBS, feature this ergonomic handle.



ALL TERRAIN WHEELS



HPRC wheels are extremely versatile. They can cover any ground in any weather conditions:

- cutting-edge innovation for a great grip
- high performance in wet and dry conditions
- sure-footedness in a wide range of fields (asphalt, sand, stones, snow, porphyry)
- rolling smoothly for hundreds of miles
- more stability and enhanced safety
- easy wheels replacement
- increased wheels durability
- made of PA66 + TPU



GASKET O-RING SEAL



The internal O-ring, which runs along the entire perimeter of the lid, is made of expanded EPDM and guarantees the case's watertight qualities.

CLOSING LATCHES




Made of PA + GF, the closing latches are extremely sturdy. They are equipped with a two-step opening / closing system to ensure fluidity of movement and to prevent the hooks from opening in the event of a fall.

HIGHLIGHTS



New mechanics and engineering of the short sides which provide more resistance to the shell and improved flexibility.



Refresh of the external surface with an embossing effect which makes it pleasant to touch.



New name plate: larger dimensions, improved shock-resistance and renewed design.

CERTIFIED STANDARDS

All HPRC cases meet high qualitative certified standards and have undergone stringent testing based on national and international regulations / standards such as drop, impact, watertightness, handle, UV color and material protection.

CERTIFICATIONS	TEST
IP67 ✓	Drop ✓
STANAG 4280 ✓	Impact ✓
DS 81-41 ✓	Watertightness ✓
ATA300 compliant ✓	Handle ✓
	UV color and material protection ✓

HPRC LIFE TIME WARRANTY



HPRC products have been built to rigorous standards of quality and are guaranteed against all defects in materials and workmanship for the whole life of the case.

WE CASE IN GREEN



All shells and components of HPRC cases are 100% recyclable: the production and transformation discards are indeed reintegrated in the production cycle. The high resistance of the patented material TTX01® allows to use the HPRC cases longer than any other case, reducing therefore the emissions of CO2 due to the production and distribution. The constant quest for geographically close suppliers complying with ISO 14000 or EMAS certification is a contribute to reduce the environmental impact. Moreover HPRC adopts renewable sources plants for energy production to cover the energetic needs.

DRY KEEPER:

utmost protection against humidity.

PROTECT YOUR GEAR


Dry Keeper is a special container designed to protect your items from mildew, deterioration and damages caused by high humidity. The orange spherical Silica Gel is composed of a naturally occurring mineral silicon dioxide that is purified and processed into a beaded form. Silica Gel has a high absorption capacity and will remove moisture at temperatures as high as 150° F (65°C). Fits all cases.



HOW TO USE

When the beads are dry, they appear orange in color, when saturated with moisture to about 15-20% by weight, the beads will change to a light blue color. Silica Gel's life is variable and it depends on the amount of moisture absorption (generally 2-4 months). To verify if it's still working, check the color: the orange Silica Gel turns to blue to indicate its complete exhaustion. Silica Gel can be regenerated by heating in the oven for 1-2 hours at 100°C (212°F).

Do not leave outside, directly exposed to the sun, in an open environment.



TECHNICAL INFORMATION

Code:	ZAC-DRYKPR
Dessicant Material:	Disidry's Orange Indicating Silica Gel
Packaging Material:	Aluminium (Container) / Paper / Stickers
Aluminium Foil Thickness:	0,5 mm
External Diameter:	81 mm
Dry Keeper Thickness:	17 mm
Total Net Weight:	30 g
Internal Container Capacity:	50 gr (Silica Gel)
Holes:	196 (98 on each side)
Life:	Depending on use. Generally 2-4 months (once stickers removed).
Storage:	Do not leave outside, directly exposed to the sun, in open environment.

HPRC:

tailor-made solutions.

CUSTOM LASER DESIGN



HPRC CUSTOM LASER DESIGN is the new HPRC service born to offer endless possibilities to customize and add value to your case. No minimum order quantity. Technical support, graphic development and fast turnaround. And on top of that,

- precise finishing even in small and hard to reach areas that other technologies cannot achieve
- permanent and durable result: abrasion, water, solvent, oil, temperature proof and UV resistant
- high resolution, high quality and precision
- long-term readability
- environment friendly. No use of paints, ink, acid or chemicals involved
- excellent energy efficiency. Short production time without downtime
- in-house management of all phases.

BUSINESS SOLUTIONS



Our staff is passionate about developing high-quality tailor-made solutions to meet all your requirements and offer an uncompromisingly individual approach to each customer. Completely new projects or customization of existing products are our flagship. Ad hoc colors, printing, adhesives, foam inlays, thermoformed inlays, lid panels and organizers, extra working on the cases shell (holes, external applications) are just some of the customizations we can do.

THE FOAM COMPANY

THE FOAM COMPANY
BASSANO

Besides the possibility of customizing the shell, HPRC also give customers the chance to choose the best solution to optimize space and handiness inside the case. Totally and strictly compliant with customer requirements, our technical department propose different solutions for the customized foam inserts, from foam inlays (die cut, water cut, milled, moulded) to thermoformed inlays.

Do you want to know more?
Please contact our technical team: tech@hprc.it



HPRC1100



TECHNICAL FEATURES*

Internal dimension:
57x58x25,6(mm) - 2.24x2.28x1.00(in)
External dimension:
69x80x32(mm) - 2.72x3.15x1.26(in)
Lid: 12,8(mm) - 0.50(in)
Bottom: 12,7(mm) - 0.50(in)



Temperature rating:
Minimum -40°C -40°F
Maximum +80°C +176°F
Colors:
Black

Weight:
empty: 0,04kg - 0.09lbs
available empty or with memory card storage




TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
 - max 4 of SD cards
 - 2 of XQD cards
 - 2 of CF cards
- Full/empty indicator



Both models with our trademark "Full - Empty" switch: just flip the arrow towards the desired E-F position and get straight access to your cards.



TECHNICAL FEATURES*

Internal dimension:
116,1x67,6x25,6(mm) - 4.57x2.66x1(in)
External dimension:
127,5x90x32(mm) - 5.02x3.54x1.26(in)
Lid: 12,8(mm) - 0.50(in)
Bottom: 12,7(mm) - 0.50(in)



Temperature rating:
Minimum -40°C -40°F Maximum +80°C +176°F
Colors:
Black

Weight:
empty: 0,09kg - 0.19lbs
available empty or with memory card storage




TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



FEATURES

- Removable multiformat memory card holder
- Accepted card Formats:
 - **8 of SD cards**
 - **4 of XQD cards**
 - **4 of CF cards**
- Full/empty indicator



*For more detailed information see pages from 12 to 15.

HPRC1400



TECHNICAL FEATURES*

Internal dimension:
180x110x40(mm) - 7.08x4.33x1.57(in)
External dimension:
200,3x142,4x48(mm) - 7.89x5.61x1.89(in)
Lid: 20(mm) - 0.78(in)
Bottom: 20(mm) - 0.78(in)


Temperature rating:
Minimum Maximum
-40°C -40°F +80°C +176°F
Colors:
Black

Weight:
empty: 0,26kg - 0.57lbs
available empty or with cubed foam




TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS





TECHNICAL FEATURES*

Internal dimension:

214,5x150,5x94,4(mm) - 8.44x5.93x3.72(in)

External dimension:

235,5x201,2x110,4(mm) - 9.27x7.92x4.35(in)

Lid: 18(mm) - 0.71(in)

Bottom: 76(mm) - 2.99(in)

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue


Weight:

empty: 0,74kg - 1.63lbs
with cubed foam: 0,84kg - 1.85lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES



*For more detailed information see pages from 12 to 15.

HPRC2200




TECHNICAL FEATURES*

<p>Internal dimension: 236x182x108(mm) - 9.29x7.17x4.25(in)</p> <p>External dimension: 258x244,3x123,3(mm) - 10.16x9.62x4.85(in)</p> <p>Lid: 29(mm) - 1.14(in)</p> <p>Bottom: 79(mm) - 3.11(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 0,87kg - 1.92lbs with cubed foam: 1,08kg - 2.38lbs</p> <p>It5</p>
---	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

<p>cubed foam</p>	<p>interior bag</p>	
-------------------	---------------------	--


ACCESSORIES

<p>HPRCCUB2200 CUBED FOAM</p>	<p>HPRCBAG2200 INTERIOR BAG</p>	<p>HPRCPF-002 PANEL FRAME (panel not included)</p>	<p>ZAC-DRYKPR DRY KEEPER</p>	<p>HPRCLO708TSA PADLOCK - TSA</p>		
--	--	---	---	--	--	--

HPRC2250




TECHNICAL FEATURES*



<p>Internal dimension: 236x182x155(mm) - 9.29x7.17x6.10(in)</p> <p>External dimension: 258x230x170(mm) - 10.16x9.06x6.69(in)</p> <p>Lid: 29(mm) - 1.14(in)</p> <p>Bottom: 126(mm) - 4.96(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 1,00kg - 2.20lbs with cubed foam: 1,35kg - 2.97lbs</p> 
--	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>interior bag</p>	
---	---	--

ACCESSORIES


<p>HPRCCUB2250 CUBED FOAM</p> 	<p>HPRCBAG2250 INTERIOR BAG</p> 	<p>HPRCPF-002 PANEL FRAME (panel not included)</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
---	--	---	---	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC2300




TECHNICAL FEATURES*

<p>Internal dimension: 305,7x232,4x137,5(mm) - 12.04x9.15x5.41(in)</p> <p>External dimension: 334,6x303x155,2(mm) - 13.17x11.93x6.11(in)</p> <p>Lid: 31(mm) - 1.22(in)</p> <p>Bottom: 106(mm) - 4.17(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black - Orange - Ferrari red - Electric blue</p>	<p>Weight: empty: 1,75kg - 3.86lbs with cubed foam: 1,90kg - 4.19lbs</p> 
--	---	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



<p>cubed foam</p>	<p>interior bag</p>	
-------------------	---------------------	--

ACCESSORIES

<p>HPRCCUB2300 CUBED FOAM</p>	<p>HPRCBAG2300 INTERIOR BAG</p>	<p>HPRCPF-003 PANEL FRAME (panel not included)</p>	<p>ZAC-DRYKPR DRY KEEPER</p>	<p>HPRCLO708TSA PADLOCK - TSA</p>		
--	--	---	---	--	--	--




TECHNICAL FEATURES*


<p>Internal dimension: 340x235x99(mm) - 13.39x9.25x3.90(in)</p> <p>External dimension: 365x293x115,5(mm) - 14.37x11.54x4.55(in)</p> <p>Lid: 29(mm) - 1.14(in)</p> <p>Bottom: 70(mm) - 2.75(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 1,49kg - 3.29lbs with cubed foam: 1,66kg - 3.65lbs</p>  
--	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>			
---	--	--	--

ACCESSORIES


<p>HPRCCUB2350 CUBED FOAM</p> 	<p>HPRCTrac-1 PADDED SHOULDER STRAP</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 			
---	--	---	--	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC2400




TECHNICAL FEATURES*



<p>Internal dimension: 377x263,9x150,8(mm) - 14.84x10.39x5.94(in)</p> <p>External dimension: 402x330,5x169,2(mm) - 15.83x13.01x6.66(in)</p> <p>Lid: 45(mm) - 1.77(in)</p> <p>Bottom: 107(mm) - 4.21(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black - Orange - Ferrari red - Electric blue</p>	<p>Weight: empty: 2,17kg - 4.78lbs with cubed foam: 2,58kg - 5.69lbs</p> 
---	---	---

TECHNICAL DRAWINGS







EXTERNAL DIMENSION



INTERNAL LAYOUTS


 <p>cubed foam</p>	 <p>interior bag</p>	
--	---	--

ACCESSORIES

<p>HPRCCUB2400 CUBED FOAM</p> 	<p>HPRCBAG2400 INTERIOR BAG</p> 	<p>HPRCORG2400 LID ORGANIZER</p> 	<p>HPRCPF-004 PANEL FRAME (panel not included)</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 	
---	--	---	---	--	--	--




TECHNICAL FEATURES*



<p>Internal dimension: 409x306x175(mm) - 16.10x12.05x6.89(in)</p> <p>External dimension: 435x377,8x193(mm) - 17.13x14.87x7.60(in)</p> <p>Lid: 70(mm) - 2.76(in)</p> <p>Bottom: 105(mm) - 4.14(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 2,55kg - 5.62lbs with cubed foam: 3,14kg - 6.92lbs</p> 
---	--	---

TECHNICAL DRAWINGS







EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>interior bag</p>	
--	---	--

ACCESSORIES

<p>HPRCCUB2460 CUBED FOAM</p> 	<p>HPRCBAG2460 INTERIOR BAG</p> 	<p>HPRCORG2460 LID ORGANIZER</p> 	<p>HPRCPF-005 PANEL FRAME (panel not included)</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 	
---	--	---	---	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC2500



TECHNICAL FEATURES*

Internal dimension:

449,8x322,9x174,9(mm) - 17.71x12.71x6.89(in)

External dimension:

478,1x389,4x194(mm) - 18.82x15.33x7.64(in)

Lid: 46(mm) - 1.81(in)

Bottom: 129(mm) - 5.08(in)

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:

Black - Orange - Ferrari red - Electric blue


Weight:

empty: 3,08kg - 6.79lbs
with cubed foam: 3,71kg - 8.18lbs




TECHNICAL DRAWINGS


EXTERNAL DIMENSION



INTERNAL LAYOUTS




ACCESSORIES






TECHNICAL FEATURES*

<p>Internal dimension: 513x288x132(mm) - 20.20x11.34x5.20(in)</p> <p>External dimension: 540x350x153(mm) - 21.26x13.78x6.02(in)</p> <p>Lid: 46(mm) - 1.81(in)</p> <p>Bottom: 86(mm) - 3.25(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 3,20kg - 7.05lbs with cubed foam: 3,26kg - 7.19lbs</p> 
--	--	---

TECHNICAL DRAWINGS







EXTERNAL DIMENSION



INTERNAL LAYOUTS

<p>cubed foam</p>	<p>soft padded open deck + dividers</p>	
-------------------	---	--

ACCESSORIES

<p>HPRCCUB2530 CUBED FOAM</p> 	<p>HPRCSFD2530 SOFT PADDED OPEN DECK</p> 	<p>HPRCTRAC-1 PADDED SHOULDER STRAP</p> 	<p>HPRCORG2530 LID ORGANIZER</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 	
---	---	--	---	--	--	--

*For more detailed information see pages from 12 to 15.



PRADA


PRADA

HPRC2550W

WHEELED




TECHNICAL FEATURES*



<p>Internal dimension: 513x288x200(mm) - 20.19x11.34x7.87(in)</p> <p>External dimension: 549x346x236(mm) - 21.61x13.62x9.29(in)</p> <p>Lid: 48(mm) - 1.88(in)</p> <p>Bottom: 152(mm) - 5.98(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black - Orange - Ferrari red Electric blue - Gravel Grey</p>	<p>Weight: empty: 4,78kg - 10.54lbs with cubed foam: 5,51kg - 12.15lbs</p> 
---	---	---

TECHNICAL DRAWINGS








EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>second skin</p>	 <p>interior bag</p>	
---	--	---	--

ACCESSORIES


<p>HPRCCUB2550W CUBED FOAM</p> 	<p>HPRCSSK2550W SECOND SKIN</p> 	<p>HPRCBAG2550W INTERIOR BAG</p> 	<p>HPRCORG-004 LID ORGANIZER</p> 	<p>HPRCPF-006 PANEL FRAME (panel not included)</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 
--	--	---	---	--	---	--

*For more detailed information see pages from 12 to 15.

HPRC2580




TECHNICAL FEATURES*



<p>Internal dimension: 390x310x89(mm) - 15.35x12.20x3.50(in)</p> <p>External dimension: 411x364,8x110(mm) - 16.18x14.36x4.33(in)</p> <p>Lid: 44(mm) - 1.73(in)</p> <p>Bottom: 45(mm) - 1.77(in)</p>	<p>Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 2,43kg - 5.35lbs with cubed foam: 2,57kg - 5.67lbs</p> 
---	---	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS


 <p>cubed foam</p>	 <p>interior bag</p>		
---	---	--	--

ACCESSORIES

<p>HPRCCUB2580 CUBED FOAM</p> 	<p>HPRCORG2580 LID ORGANIZER</p> 	<p>HPRCTRAC-1 PADDED SHOULDER STRAP</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
---	---	--	---	--	--	--




TECHNICAL FEATURES*

<p>Internal dimension: 482,4x358,3x198,1(mm) - 18.99x14.10x7.80(in)</p> <p>External dimension: 543,4x426,8x218,1(mm) - 21.39x16.80x8.59(in)</p> <p>Lid: 46(mm) - 1.81(in)</p> <p>Bottom: 152(mm) - 5.98(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black - Orange - Ferrari red - Electric blue</p>	<p>Weight: empty: 4,25kg - 9.37lbs with cubed foam: 5,05kg - 11.13lbs</p> 
---	---	--

TECHNICAL DRAWINGS








EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>second skin</p>	 <p>interior bag</p>	
---	--	---	--

ACCESSORIES

<p>HPRCCUB2600 CUBED FOAM</p> 	<p>HPRCSSK2600 SECOND SKIN</p> 	<p>HPRCBAG2600 INTERIOR BAG</p> 	<p>HPRCORG2600 LID ORGANIZER</p> 	<p>HPRCPF-007 PANEL FRAME (panel not included)</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 
---	---	--	---	--	---	--


*For more detailed information see pages from 12 to 15.

HPRC2600W

WHEELED




TECHNICAL FEATURES*

Internal dimension: 482,4x358,3x217,6(mm) - 18.99x14.10x8.57(in) External dimension: 546,9x426,8x250,7(mm) - 21.53x16.80x9.87(in) Lid: 46(mm) - 1.81(in) Bottom: 172(mm) - 6.77(in)	Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F	Weight: empty: 6,05kg - 13.34lbs with cubed foam: 6,97kg - 15.37lbs 
	Colors: Black - Orange - Electric blue - Gravel Grey	

TECHNICAL DRAWINGS








EXTERNAL DIMENSION



INTERNAL LAYOUTS




ACCESSORIES

HPRCCUB2600W CUBED FOAM 	HPRCSSK2600W SECOND SKIN 	HPRCBAG2600W INTERIOR BAG 	HPRCORG2600W LID ORGANIZER 	HPRCPF-007 PANEL FRAME (panel not included) 	ZAC-DRYKPR DRY KEEPER 	HPRCLO708TSA PADLOCK - TSA 
---	---	--	---	--	--	---




TECHNICAL FEATURES*



<p>Internal dimension: 555x459x205(mm) - 21.85x18.07x8.07(in)</p> <p>External dimension: 617x525x227(mm) - 24.29x20.67x8.94(in)</p> <p>Lid: 45(mm) - 1.77(in)</p> <p>Bottom: 160(mm) - 6.29(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black - Orange - Ferrari red</p>	<p>Weight: empty: 5,55kg - 12.24lbs with cubed foam: 6,71kg - 14.79lbs</p> 
---	---	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>interior bag</p>		
---	---	--	--

ACCESSORIES

<p>HPRCCUB2700 CUBED FOAM</p> 	<p>HPRCBAG2700 INTERIOR BAG</p> 	<p>HPRCORG2700 LID ORGANIZER</p> 	<p>HPRCPF-008 PANEL FRAME (panel not included)</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 	
---	--	---	---	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC2700W

WHEELED




TECHNICAL FEATURES*

<p>Internal dimension: 554,7x458,7x246(mm) - 21.84x18.06x9.69(in)</p> <p>External dimension: 617,5x527,3x279,6(mm) - 24.31x20.76x11(in)</p> <p>Lid: 45(mm) - 1.77(in)</p> <p>Bottom: 201(mm) - 7.91(in)</p>	<p>Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F</p> <p>Colors: Black - Orange - Ferrari red - Gravel Grey</p>	<p>Weight: empty: 7,75kg - 17.09lbs with cubed foam: 9,07kg - 19.99lbs</p> <p>It65</p>
---	--	--

TECHNICAL DRAWINGS








EXTERNAL DIMENSION



INTERNAL LAYOUTS




ACCESSORIES

<p>HPRCCUB2700W CUBED FOAM</p> 	<p>HPRCSSK2700W SECOND SKIN</p> 	<p>HPRCBAG2700W INTERIOR BAG</p> 	<p>HPRCORG2700W LID ORGANIZER</p> 	<p>HPRCPF-008 PANEL FRAME (panel not included)</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 
--	--	---	--	--	---	--




TECHNICAL FEATURES*


<p>Internal dimension: 555x459x256(mm) - 21.85x18.07x10.08(in)</p> <p>External dimension: 617x525x280(mm) - 24.29x20.67x11.02(in)</p> <p>Lid: 45(mm) - 1.77(in)</p> <p>Bottom: 211(mm) - 8.30(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 6,56kg - 14.46lbs with cubed foam: 7,96kg - 17.55lbs</p> 
---	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>			
---	--	--	--

ACCESSORIES

<p>HPRCCUB2710 CUBED FOAM</p> 	<p>HPRCORG2710 LID ORGANIZER</p> 	<p>HPRCPF-008 PANEL FRAME (panel not included)</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
---	---	---	---	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC2730W


WHEELED



TECHNICAL FEATURES*

<p>Internal dimension: 503x459x316(mm) - 19.80x18.07x12.44(in)</p> <p>External dimension: 616,9x531x349,6(mm) - 24.29x20.91x13.76(in)</p> <p>Lid: 45(mm) - 1.77(in)</p> <p>Bottom: 269(mm) - 10.59(in)</p>	<p>Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 8,41kg - 18.54lbs with cubed foam: 10,43kg - 22.99lbs</p> <p>It72</p>
--	---	---

TECHNICAL DRAWINGS



INTERNAL LAYOUTS

<p>cubed foam</p>	<p>interior bag</p>	<p>soft padded open deck + dividers</p>	
-------------------	---------------------	---	--

ACCESSORIES


<p>HPRCCUB2730W CUBED FOAM</p>	<p>HPRCBAG2730W INTERIOR BAG</p>	<p>HPRCORG2730W LID ORGANIZER</p>	<p>HPRCSFD2730W SOFT PADDED OPEN DECK</p>	<p>ZAC-DRYKPR DRY KEEPER</p>	<p>HPRCLO708TSA PADLOCK - TSA</p>	
---	---	--	--	---	--	--

HPRC2745W

WHEELED




TECHNICAL FEATURES*

<p>Internal dimension: 771x401x247(mm) - 30.35x15.78x9.72(in)</p> <p>External dimension: 822x452x294(mm) - 32.36x17.79x11.57(in)</p> <p>Lid: 46(mm) - 1.81(in)</p> <p>Bottom: 201 (mm) - 7.91(in)</p>	<p>Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 7,22kg - 15.92lbs with cubed foam: 9,10kg - 20.06lbs</p> 
---	---	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

<p>HPRCCUB2745W CUBED FOAM</p> 	<p>HPRCSSK2745W SECOND SKIN</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 			
--	--	---	--	--	--	--


*For more detailed information see pages from 12 to 15.

HPRC2760W

WHEELED





TECHNICAL FEATURES*

<p>Internal dimension: 690x450x301(mm) - 27.16x17.72x11.85(in)</p> <p>External dimension: 750x511x329(mm) - 29.53x20.12x12.95(in)</p> <p>Lid: 50(mm) - 1.97(in)</p> <p>Bottom: 250(mm) - 9.84(in)</p>	<p>Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 8,93kg - 19.69lbs with cubed foam: 10,72kg - 23.63lbs</p> 
---	---	--

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>interior bag</p>	 <p>soft padded open deck + dividers</p>	
--	---	---	--

ACCESSORIES


<p>HPRCCUB2760W CUBED FOAM</p> 	<p>HPRCBAG2760W INTERIOR BAG</p> 	<p>HPRCSFD2760W SOFT PADDED OPEN DECK</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
--	---	--	---	--	--	--



When innovation becomes a case

Main features:

- 4 built in wheels: roll the case along by simply pushing it while it's on the ground
- two side handles: push or pull the case as a trolley
- stackable exterior lid design: use the case as a cart by stacking more cases on top of each other
- two lateral handles: when you need to hold the case from both sides
- comfortable soft-grip handle
- braked wheels to prevent unexpected movement



HPRC2780W

WHEELED




TECHNICAL FEATURES*

<p>Internal dimension: 748,6x524,6x363,3(mm) - 29.47x20.65x14.30(in)</p> <p>External dimension: 814x586,5x387,7(mm) - 32.05x23.09x15.27(in)</p> <p>Lid: 73(mm) - 2.87(in)</p> <p>Bottom: 290 (mm) - 11.42 (in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 12kg - 26.46lbs with cubed foam: 16,18kg - 35.67lbs</p> <p>It 142</p>
--	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

<p>cubed foam</p>	<p>interior bag</p>	<p>soft padded open deck + dividers</p>	
-------------------	---------------------	---	--

ACCESSORIES

<p>HPRCCUB2780W CUBED FOAM</p>	<p>HPRCBAG2780W INTERIOR BAG</p>	<p>HPRCORG2780W LID ORGANIZER</p>	<p>HPRCSFD2780W SOFT PADDED OPEN DECK</p>	<p>ZAC-DRYKPR DRY KEEPER</p>	<p>HPRCLO708TSA PADLOCK - TSA</p>	
---	---	--	--	---	--	--

HPRC2800W

WHEELED





TECHNICAL FEATURES*

<p>Internal dimension: 748,6x524,6x454,6(mm) - 29.47x20.65x17.90(in)</p> <p>External dimension: 813,3x586,5x480,5(mm) - 32.02x23.09x18.92(in)</p> <p>Lid: 73(mm) - 2.87(in)</p> <p>Bottom: 382(mm) - 15.03(in)</p>	<p>Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 13,25kg - 29.22lbs with cubed foam: 17,43kg - 38.43lbs</p> <p>it 179</p>
--	---	--

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

<p>cubed foam</p>	<p>interior bag</p>		
-------------------	---------------------	--	--

ACCESSORIES


<p>HPRCCUB2800W CUBED FOAM</p>	<p>HPRCBAG2800W INTERIOR BAG</p>	<p>HPRCORG2800W LID ORGANIZER</p>	<p>ZAC-DRYKPR DRY KEEPER</p>	<p>HPRCLO708TSA PADLOCK - TSA</p>		
---	---	--	---	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC3500



TECHNICAL FEATURES*



<p>Internal dimension: 433,5x319,3x168,8(mm) - 17.07x12.57x6.65(in)</p> <p>External dimension: 497,9x370,3x185(mm) - 19.60x14.58x7.28(in)</p> <p>Lid: 72(mm) - 2.83(in)</p> <p>Bottom: 97(mm) - 3.81(in)</p>	<p>Temperature rating:</p> <p>Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 3kg - 6.61lbs with cubed foam: 3,55kg - 7.82lbs</p> 
--	---	--

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

<p>cubed foam</p> 	<p>interior bag</p> 	
--	---	--

ACCESSORIES

<p>HPRCCUB3500 CUBED FOAM</p> 	<p>HPRCBAG3500 INTERIOR BAG</p> 	<p>HPRCORG3500 LID ORGANIZER</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
---	--	---	---	--	--	--



TECHNICAL FEATURES*


<p>Internal dimension: 479x354x194(mm) - 18.86x13.94x7.64(in)</p> <p>External dimension: 542x402x220(mm) - 21.34x15.83x8.66(in)</p> <p>Lid: 80(mm) - 3.15(in)</p> <p>Bottom: 114(mm) - 4.48(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 3,22kg - 7.10lbs with cubed foam: 3,85kg - 8.49lbs</p> <p>28,5</p>
---	--	--

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS



ACCESSORIES

<p>HPRCCUB3600 CUBED FOAM</p>	<p>HPRCSSK3600 SECOND SKIN</p>	<p>ZAC-DRYKPR DRY KEEPER</p>	<p>HPRCLO708TSA PADLOCK - TSA</p>			
--	---	---	--	--	--	--


*For more detailed information see pages from 12 to 15.

HPRC4050

SHOULDER
CASE




TECHNICAL FEATURES*



<p>Internal dimension: 261x171x220(mm) - 10.28x6.73x8.66(in)</p> <p>External dimension: 284x223x260(mm) - 11.18x8.78x10.24(in)</p> <p>Lid: 46(mm) - 1.81(in) - under handle: 24(mm) - 0.94(in)</p> <p>Bottom: 196(mm) - 7.71(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 1,57kg - 3.46lbs with cubed foam: 1,83kg - 4.03lbs</p> 
--	--	---

TECHNICAL DRAWINGS







EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>soft padded open deck + dividers</p>		
---	---	--	--


ACCESSORIES

<p>HPRCCUB4050 CUBED FOAM</p> 	<p>HPRCSFD4050 SOFT PADDED OPEN DECK</p> 	<p>HPRCPANELFRAME SUPPORT KIT</p> 	<p>HPRCTRAC-2 EXTRA-PADDED SHOULDER STRAP</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 	
---	---	--	--	--	--	--

SHOULDER
CASE





TECHNICAL FEATURES*



<p>Internal dimension: 401x231x231(mm) - 15.79x9.09x9.09(in)</p> <p>External dimension: 426,3x284x276,5(mm) - 16.78x11.18x10.89(in)</p> <p>Lid: 46(mm) - 1.81(in) - under handle: 18,5(mm) - 0.73(in)</p> <p>Bottom: 212,50(mm) - 8.37(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 2,64kg - 5.82lbs with cubed foam: 3,27kg - 7.20lbs</p> 
--	--	---

TECHNICAL DRAWINGS







EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>soft padded open deck + dividers</p>		
---	---	--	--

ACCESSORIES

<p>HPRCCUB4100 CUBED FOAM</p> 	<p>HPRCSFD4100 SOFT PADDED OPEN DECK</p> 	<p>HPRCPANELFRAME SUPPORT KIT</p> 	<p>HPRCTRAC-2 EXTRA-PADDED SHOULDER STRAP</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 	
---	---	--	--	--	--	--


*For more detailed information see pages from 12 to 15.

HPRC4200

SHOULDER CASE




TECHNICAL FEATURES*


<p>Internal dimension: 460x240x400(mm) - 18.11x9.45x15.75(in)</p> <p>External dimension: 500,4x293x445,5(mm) - 19.70x11.54x17.54(in)</p> <p>Lid: 66(mm) - 2.60(in) - under handle: 38,5(mm) - 1.52(in)</p> <p>Bottom: 361,50(mm) - 14.23(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 3,91kg - 8.62lbs with cubed foam: 5,10kg - 11.24lbs</p> 
--	--	--

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS


 <p>cubed foam</p>			
---	--	--	--

ACCESSORIES

<p>HPRCCUB4200 CUBED FOAM</p> 	<p>HPRCPANELFRAME SUPPORT KIT</p> 	<p>HPRCTRAC-2 EXTRA-PADDED SHOULDER STRAP</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
---	--	--	---	--	--	--




TECHNICAL FEATURES*




<p>Internal dimension: 580x320x309(mm) - 22.83x12.60x12.16(in)</p> <p>External dimension: 690x380x355,4(mm) - 27.16x14.96x13.99(in)</p> <p>Lid: 80(mm) - 3.15(in) - under handle: 54(mm) - 2.13(in)</p> <p>Bottom: 255(mm) - 10.04(in)</p>	<p>Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 6,50kg - 14.33lbs with cubed foam: 7,96kg - 17.54lbs</p> 
--	---	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

<p>cubed foam</p> 	<p>interior bag</p> 	<p>soft padded open deck + dividers</p> 
---	---	---

ACCESSORIES

<p>HPRCCUB4300 CUBED FOAM</p> 	<p>HPRCBAG4300 INTERIOR BAG</p> 	<p>HPRCSFD4300 SOFT PADDED OPEN DECK</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
---	--	---	---	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC4300W


WHEELED




TECHNICAL FEATURES*

<p>Internal dimension: 580x320x299(mm) - 22.83x12.60x11.77(in)</p> <p>External dimension: 690x380x358,2(mm) - 27.16x14.96x14.10(in)</p> <p>Lid: 80(mm) - 3.15(in) - under handle: 54(mm) - 2.13(in)</p> <p>Bottom: 245(mm) - 9.65(in)</p>	<p>Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 7,30kg - 16,09lbs with cubed foam: 8,76kg - 19.31lbs</p> <p>lt62</p>
---	---	--

TECHNICAL DRAWINGS



INTERNAL LAYOUTS




ACCESSORIES

<p>HPRCCUB4300W CUBED FOAM</p>	<p>HPRCBAG4300W INTERIOR BAG</p>	<p>HPRCSFD4300W SOFT PADDED OPEN DECK</p>	<p>ZAC-DRYKPR DRY KEEPER</p>	<p>HPRCLO708TSA PADLOCK - TSA</p>		
---	---	--	---	--	--	--



TECHNICAL FEATURES*


<p>Internal dimension: 420x420x389(mm) - 16.54x16.54x15.31(in)</p> <p>External dimension: 482x481x437(mm) - 18.98x18.94x17.20(in)</p> <p>Lid: 65(mm) - 2.56(in) - under handle: 38(mm) - 1.50(in)</p> <p>Bottom: 351(mm) - 13.82(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 6,70kg - 14.77lbs with cubed foam: 8,90kg - 19.62lbs</p> 
--	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>			
---	--	--	--

ACCESSORIES

<p>HPRCCUB4400 CUBED FOAM</p> 	<p>HPRC4400WK-01 WHEEL KIT FOR HPRC4400</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 			
---	--	---	--	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC4600W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

611x611x375(mm) - 24.05x24.05x14.76(in)

External dimension:

670x677x418,5(mm) - 26.38x26.65x16.48(in)

Lid: 85.5(mm) - 3.36(in)

Bottom: 289(mm) - 11.37(in)

Temperature rating:

Minimum

-40°C -40°F

Maximum

+80°C +176°F

Colors:

Black

Weight:




empty: 10,28kg - 22.66lbs

with cubed foam: 13,14kg - 28.97lbs.



TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

<p>cubed foam</p>			
-------------------	--	--	--

ACCESSORIES

HPRCCUB4600W
CUBED FOAM



ZAC-DRYKPR
DRY KEEPER



HPRCLO708TSA
PADLOCK - TSA





HPRC4700W

WHEELED



TECHNICAL FEATURES*

Internal dimension:

508x301,4x497(mm) - 20x11.87x19.57(in)

External dimension:

572x429x563(mm) - 22.52x16.89x22.19(in)

Lid: 49(mm) - 1.92(in) - under handle: 23(mm) - 0.91(in)

Bottom: 474(mm) - 18.66(in)

Temperature rating:

Minimum

-40°C -40°F

Maximum

+80°C +176°F

Colors:

Black

Weight:




empty: 11,73kg - 25.86lbs

with cubed foam: 14,84kg - 32.71lbs





TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS




ACCESSORIES

HPRCCUB4700W
CUBED FOAM




HPRCBAG4700W
INTERIOR BAG



ZAC-DRYKPR
DRY KEEPER



HPRCLO708TSA
PADLOCK - TSA




HPRC4800W

WHEELED





TECHNICAL FEATURES*


<p>Internal dimension: 720x320x600(mm) - 28.34x12.60x23.62(in)</p> <p>External dimension: 776x380x649(mm) - 30.55x14.96x25.55(in)</p> <p>Lid: 85(mm) - 3.35(in) - under handle: 59(mm) - 2.32(in)</p> <p>Bottom: 540(mm) - 21.25(in)</p>	<p>Temperature rating: Minimum -40°C -40°F Maximum +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 10kg - 22.21lbs with cubed foam: 14,10kg - 31.08lbs</p> 
--	---	--

TECHNICAL DRAWINGS






EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>			
---	--	--	--

ACCESSORIES

<p>HPRCCUB4800W CUBED FOAM</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
--	---	--	--	---

*For more detailed information see pages from 12 to 15.



HPRC 5200

NEW



TECHNICAL FEATURES*

Internal dimension:

772x302x210(mm) - 30.39x11.89x8.26(in)

External dimension:

802x355x246,7(mm) - 31.57x13.97x9.71(in)

Lid: 46(mm) - 1.81(in)

Bottom: 164(mm) - 6.45(in)

Temperature rating:

Minimum

-40°C -40°F

Maximum

+80°C +176°F

Colors:

Black

Weight:



empty: 5,05kg - 11.10lbs

with cubed foam: 6,20kg - 13.70lbs






TECHNICAL DRAWINGS

EXTERNAL DIMENSION




INTERNAL LAYOUTS



ACCESSORIES

HPRCCUB5200
CUBED FOAM



HPRCSSK5200
SECOND SKIN



ZAC-DRYKPR
DRY KEEPER



HPRCLO708TSA
PADLOCK - TSA



HPRC 5200R

NEW



TECHNICAL FEATURES*

Internal dimension:

772x302x210(mm) - 30.39x11.89x8.26(in)

External dimension:

802x355x246,7(mm) - 31.57x13.97x9.71(in)

Lid: 46(mm) - 1.81(in)

Bottom: 164(mm) - 6.45(in)

Temperature rating:

Minimum

-40°C -40°F

Maximum

+80°C +176°F

Colors:

Black

Weight:



empty: 5,05kg - 11.10lbs

with cubed foam: 6,20kg - 13.70lbs



TECHNICAL DRAWINGS

EXTERNAL DIMENSION




INTERNAL LAYOUTS

cubed foam



second skin



empty



ACCESSORIES

HPRCCUB5200
CUBED FOAM



HPRCSSK5200
SECOND SKIN



ZAC-DRYKPR
DRY KEEPER



HPRCLO708TSA
PADLOCK - TSA



*For more detailed information see pages from 12 to 15.

Photo by Phil Arntz




HPRC5400W

WHEELED




TECHNICAL FEATURES*



<p>Internal dimension: 1140x350x160(mm) - 44.88x13.78x6.30(in)</p> <p>External dimension: 1203,7x418x181(mm) - 47.39x16.46x7.13(in)</p> <p>Lid: 45(mm) - 1.77(in)</p> <p>Bottom: 115(mm) - 4.52(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 8kg - 17.64lbs with cubed foam: 9,80kg - 21.61lbs</p> 
---	--	--

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

<p>cubed foam</p> 	<p>interior bag</p> 	
--	---	--

ACCESSORIES

<p>HPRCCUB5400W CUBED FOAM</p> 	<p>HPRCBAG5400W INTERIOR BAG</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 			
--	---	---	--	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC6200






TECHNICAL FEATURES*

<p>Internal dimension: 651x279x242,8(mm) - 25.63x10.98x9.56(in)</p> <p>External dimension: 711x335x279(mm) - 28x13.19x11.86(in)</p> <p>Lid: 112(mm) - 4.41(in)</p> <p>Bottom: 130,8(mm) - 5.15(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 3,96kg - 8.73lbs with cubed foam: 5,80kg - 12.78lbs</p> <p>It38</p>
--	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

<p>cubed foam</p>	<p>tri version</p>		
-------------------	--------------------	--	--

ACCESSORIES


<p>HPRCCUB6200 CUBED FOAM</p>	<p>HPRCTRIKIT KIT FOR TRIPODS</p>	<p>HPRCTRAC-1 PADDED SHOULDER STRAP</p>	<p>ZAC-DRYKPR DRY KEEPER</p>	<p>HPRCLO708TSA PADLOCK - TSA</p>		
--	--	--	---	--	--	--

HPRC6300W

WHEELED




TECHNICAL FEATURES*



<p>Internal dimension: 920,8x279x242,8(mm) - 36.25x10.98x9.56(in)</p> <p>External dimension: 968x335x299,8(mm) - 38.11x13.19x11.80(in)</p> <p>Lid: 130,8(mm) - 5.15(in)</p> <p>Bottom: 131(mm) - 5.15(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 5,69kg - 12.54lbs with cubed foam: 6,95kg - 15.32lbs</p> 
---	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>tri version</p>		
---	--	--	--

ACCESSORIES

<p>HPRCCUB6300W CUBED FOAM</p> 	<p>HPRCTRIKIT KIT FOR TRIPODS</p> 	<p>HPRCTRAC-1 PADDED SHOULDER STRAP</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
--	--	--	---	--	--	--


*For more detailed information see pages from 12 to 15.

HPRC6400W

WHEELED




TECHNICAL FEATURES*



<p>Internal dimension: 1081x279x242,8(mm) - 42.56x10.98x9.56(in)</p> <p>External dimension: 1128x335x299,8(mm) - 44.41x13.19x11.80(in)</p> <p>Lid: 112(mm) - 4.41(in)</p> <p>Bottom: 131(mm) - 5.15(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 6,44kg - 14.20lbs with cubed foam: 7,84kg - 17.28lbs</p> 
---	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>tri version</p>		
---	--	--	--

ACCESSORIES


<p>HPRCCUB6400W CUBED FOAM</p> 	<p>HPRCTRIKIT KIT FOR TRIPODS</p> 	<p>HPRCTRAC-1 PADDED SHOULDER STRAP</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
--	--	--	---	--	--	--

HPRC6500W

WHEELED




TECHNICAL FEATURES*



<p>Internal dimension: 1280,7x278,9x242,8(mm) - 50.42x10.98x9.56(in)</p> <p>External dimension: 1328x335x299,8(mm) - 52.28x13.19x11.80(in)</p> <p>Lid: 112(mm) - 4.41(in)</p> <p>Bottom: 131(mm) - 5.15(in)</p>	<p>Temperature rating: Minimum Maximum -40°C -40°F +80°C +176°F</p> <p>Colors: Black</p>	<p>Weight: empty: 7,20kg - 15.88lbs with cubed foam: 9,03kg - 19.90lbs</p> 
---	--	---

TECHNICAL DRAWINGS

EXTERNAL DIMENSION



INTERNAL LAYOUTS

 <p>cubed foam</p>	 <p>tri version</p>		
---	--	--	--

ACCESSORIES

<p>HPRCCUB6500W CUBED FOAM</p> 	<p>HPRCTRIKIT KIT FOR TRIPODS</p> 	<p>HPRCTRAC-1 PADDED SHOULDER STRAP</p> 	<p>ZAC-DRYKPR DRY KEEPER</p> 	<p>HPRCLO708TSA PADLOCK - TSA</p> 		
--	--	--	---	--	--	--

*For more detailed information see pages from 12 to 15.

HPRC0500



TECHNICAL FEATURES*

Closed dimension:

394x280x27,5(mm) - 15.51x11.02x1.08(in)

Open dimension:

464x350x27,5(mm) - 18.26x13.77x1.08(in)

Temperature rating:

Minimum Maximum
-40°C -40°F +80°C +176°F

Colors:



Black

Weight:

empty: 0,95kg - 2.09lbs

TECHNICAL DRAWINGS


EXTERNAL DIMENSION



FEATURES




* tripod, laptop and shelter not included



Soft cases.

HPRC produces also different lines of soft cases and backpacks specifically designed to carry and protect the most popular drones and gimbals of the market.




HOW DO YOU LIKE GREY?





HPRC GRAVEL GREY
NOW AVAILABLE IN THREE DIFFERENT SIZES.
HPRC2550W | HPRC2600W | HPRC2700W






technical chart

HPRC1100 

	<p>Internal dimension 57x58x25,6(mm) 2.24x2.28x1.00(in)</p>
	<p>External dimension 69x80x32(mm) 2.72x3.15x1.26(in)</p> <p>Weight empty 0,04kg - 0.09lbs</p> <p>Colors Black</p>

page 18

HPRC1300 

	<p>Internal dimension 116,1x67,60x25,6(mm) 4.57x2.66x1.00(in)</p>
	<p>External dimension 127,5x90x32(mm) 5.02x3.54x1.26(in)</p> <p>Weight empty 0,09kg - 0.19lbs</p> <p>Colors Black</p>

page 19

HPRC1400 


	<p>Internal dimension 180x110x40(mm) 7.08x4.33x1.57(in)</p>
	<p>External dimension 200,3x142,4x48(mm) 7.89x5.61x1.89(in)</p> <p>Weight empty 0,26kg - 0.57lbs</p> <p>Colors Black</p>



page 20

HPRC2100 


	<p>Internal dimension 214,5x150,5x94,4(mm) 8.44x5.93x3.72(in)</p>
	<p>External dimension 235,5x201,2x110,4(mm) 9.27x7.92x4.35(in)</p> <p>Weight empty 0,74kg - 1.63lbs</p> <p>Colors Black - Orange - Ferrari red - Electric blue</p>



page 21

HPRC2200 

	<p>Internal dimension 236x182x108(mm) 9.29x7.17x4.25(in)</p>
	<p>External dimension 258x244,3x123,3(mm) 10.16x9.62x4.85(in)</p> <p>Weight empty 0,87kg - 1.92lbs</p> <p>Colors Black</p>

page 22

HPRC2250 

	<p>Internal dimension 236x182x155(mm) 9.29x7.17x6.10(in)</p>
	<p>External dimension 258x230x170(mm) 10.16x9.06x6.69(in)</p> <p>Weight empty 1,00kg - 2.20lbs</p> <p>Colors Black</p>

page 23

HPRC2300 


	<p>Internal dimension 305,7x232,4x137,5(mm) 12.04x9.15x5.41(in)</p>
	<p>External dimension 334,6x303x155,2(mm) 13.17x11.93x6.11(in)</p> <p>Weight empty 1,75kg - 3.86lbs</p> <p>Colors Black - Orange - Ferrari red - Electric blue</p>


page 24

HPRC2350 


	<p>Internal dimension 340x235x99(mm) 13.39x9.25x3.90(in)</p>
	<p>External dimension 365x293x115,5(mm) 14.37x11.54x4.55(in)</p> <p>Weight empty 1,49kg - 3.29lbs</p> <p>Colors Black</p>



page 25

HPRC2400 


	<p>Internal dimension 377x263,9x150,8(mm) 14.84x10.39x5.94(in)</p>
	<p>External dimension 402x330,5x169,2(mm) 15.83x13.01x6.66(in)</p> <p>Weight empty 2,17kg - 4.78lbs</p> <p>Colors Black - Orange - Ferrari red - Electric blue</p>



page 26

HPRC2460 

	<p>Internal dimension 409x306x175(mm) 16.10x12.05x6.89(in)</p>
	<p>External dimension 435x377,8x193(mm) 17.13x14.87x7.60(in)</p> <p>Weight empty 2,55kg - 5.62lbs</p> <p>Colors Black</p>



page 27

HPRC2500 

	<p>Internal dimension 449,8x322,9x174,9(mm) 17.71x12.71x6.89(in)</p>
	<p>External dimension 478,1x389,4x194(mm) 18.82x15.33x7.64(in)</p> <p>Weight empty 3,08kg - 6.79lbs</p> <p>Colors Black - Orange - Ferrari red - Electric blue</p>

page 28

HPRC2530 

	<p>Internal dimension 513x288x132(mm) 20.20x11.34x5.20(in)</p>
	<p>External dimension 540x350x153(mm) 21.26x13.78x6.02(in)</p> <p>Weight empty 3,20kg - 7.05lbs</p> <p>Colors Black</p>

page 29

HPRC2550W



Internal dimension
51.3x28.8x20.0(mm)
20.19x11.34x7.87(in)



External dimension
54.9x34.6x23.6(mm)
21.61x13.62x9.29(in)

WHEELED



Weight empty
4,78kg - 10.54lbs

Colors
Black - Orange - Ferrari red -
Electric blue - Gravel Grey

page 31

HPRC2580



Internal dimension
39.0x31.0x8.9(mm)
15.35x12.20x3.50(in)



External dimension
41.1x36.4,8x11.0(mm)
16.18x14.36x4.33(in)

Weight empty
2,43kg - 5.35lbs

Colors
Black

page 32

HPRC2600



Internal dimension
48.2,4x35.8,3x19.8,1(mm)
18.99x14.10x7.80(in)



External dimension
54.3,4x42.6,8x21.8,1(mm)
21.39x16.80x8.59(in)

Weight empty
4,25kg - 9.37lbs

Colors
Black - Orange - Ferrari red -
Electric blue

page 33

HPRC2600W



Internal dimension
48.2,4x35.8,3x21.7,6(mm)
18.99x14.10x8.57(in)



External dimension
54.6,9x42.6,8x25.0,7(mm)
21.53x16.80x9.87(in)

WHEELED

Weight empty
6,05kg - 13.34lbs

Colors
Black - Orange - Electric blue -
Gravel Grey

page 34

HPRC2700



Internal dimension
55.5x45.9x20.5(mm)
21.85x18.07x8.07(in)



External dimension
61.7x52.5x22.7(mm)
24.29x20.67x8.94(in)

Weight empty
5,55kg - 12.24lbs

Colors
Black - Orange - Ferrari red

page 35

HPRC2700W



Internal dimension
55.4,7x45.8,7x24.6(mm)
21.84x18.06x9.69(in)



External dimension
61.7,5x52.7,3x27.9,6(mm)
24.31x20.76x11(in)

WHEELED

Weight empty
7,75kg - 17.09lbs

Colors
Black - Orange - Ferrari red -
Gravel Grey

page 36

HPRC2710



Internal dimension
55.5x45.9x25.6(mm)
21.85x18.07x10.08(in)



External dimension
61.7x52.5x28.0(mm)
24.29x20.67x11.02(in)

Weight empty
6,56kg - 14.46lbs

Colors
Black

page 37

HPRC2730W



Internal dimension
50.3x45.9x31.6(mm)
19.80x18.07x12.44(in)



External dimension
61.6,9x53.1x34.9,6(mm)
24.29x20.91x13.76(in)

Weight empty
8,41kg - 18.54lbs

Colors
Black

page 38

HPRC2745W



Internal dimension
77.1x40.1x24.7(mm)
30.35x15.78x9.72(in)



External dimension
82.2x45.2x29.4(mm)
32.36x17.79x11.57(in)

Weight empty
7,22kg - 15.92lbs

Colors
Black

page 39

HPRC2760W



Internal dimension
69.0x45.0x30.1(mm)
27.16x17.72x11.85(in)



External dimension
75.0x51.1x32.9(mm)
29.53x20.12x12.95(in)

Weight empty
8,93kg - 19.69lbs

Colors
Black

page 40

HPRC2780W



Internal dimension
74.8,6x52.4,6x36.3,3(mm)
29.47x20.65x14.30(in)




External dimension
81.4x58.6,5x38.7,7(mm)
32.05x23.09x15.27(in)

Weight empty
12kg - 26.46lbs

Colors
Black

page 42

HPRC2800W



Internal dimension
74.8,6x52.4,6x45.4,6(mm)
29.47x20.65x17.90(in)



External dimension
81.3,3x58.6,5x48.0,5(mm)
32.02x23.09x18.92(in)

Weight empty
13,25kg - 29.22lbs

Colors
Black

page 43

technical chart

HPRC3500



Internal dimension
433,5x319,3x168,8(mm)
17.07x12.57x6.65(in)



External dimension
497,9x370,3x185(mm)
19.60x14.58x7.28(in)



Weight empty
3kg - 6.61lbs

Colors
Black

page 44

HPRC3600



Internal dimension
479x354x194(mm)
18.86x13.94x7.64(in)



External dimension
542x402x220(mm)
21.34x15.83x8.66(in)

Weight empty
3,22kg - 7.10lbs

Colors
Black

page 45

HPRC4050



Internal dimension
261x171x220(mm)
10.28x6.73x8.66(in)



External dimension
284x223x260(mm)
11.18x8.78x10.24(in)



Weight empty
1,57kg - 3.46lbs

Colors
Black

page 46

HPRC4100



Internal dimension
401x231x231(mm)
15.79x9.09x9.09(in)



External dimension
426,3x284x276,5(mm)
16.78x11.18x10.89(in)



Weight empty
2,64kg - 5.82lbs

Colors
Black

page 47

HPRC4200



Internal dimension
460x240x400(mm)
18.11x9.45x15.75(in)



External dimension
500,4x293x445,5(mm)
19.70x11.54x17.54(in)

Weight empty
3,91kg - 8.62lbs

Colors
Black

page 48

HPRC4300



Internal dimension
580x320x309(mm)
22.83x12.60x12.16(in)



External dimension
690x380x358,2(mm)
27.16x14.96x14.10(in)

Weight empty
6,50kg - 14.33lbs

Colors
Black

page 49

HPRC4300W



Internal dimension
580x320x299(mm)
22.83x12.60x11.77(in)



External dimension
690x380x358,2(mm)
27.16x14.96x14.10(in)

WHEELED

Weight empty
7,30kg - 16.09lbs

Colors
Black

page 50

HPRC4400



Internal dimension
420x420x389(mm)
16.54x16.54x15.31(in)



External dimension
482x481x437(mm)
18.98x18.94x17.20(in)

Weight empty
6,70kg - 14.77lbs

Colors
Black

page 51

HPRC4600W



Internal dimension
611x611x375(mm)
24.05x24.05x14.76(in)



External dimension
670x677x418,5(mm)
26.38x26.65x16.48(in)

WHEELED

Weight empty
10,28kg - 22.66lbs

Colors
Black

page 52

HPRC4700W



Internal dimension
508x301,4x497(mm)
20x11.87x19.57(in)



External dimension
572x429x563,5(mm)
22.52x16.89x22.19(in)

WHEELED

Weight empty
11,73kg - 25.86lbs

Colors
Black

page 54

HPRC4800W



Internal dimension
720x320x600(mm)
28.34x12.60x23.62(in)



External dimension
776x380x649(mm)
30.55x14.96x25.55(in)

WHEELED

Weight empty
10kg - 22.21lbs

Colors
Black

page 55

HPRC5200



Internal dimension
772x302x210(mm)
30.39x11.89x8.26(in)



External dimension
802x355x246,7(mm)
31.57x13.97x9.71(in)

Weight empty
5.05kg - 11.10lbs

Colors
Black

page 58

NEW

HPRC5200R



Internal dimension
772x302x210(mm)
30.39x11.89x8.26(in)



External dimension
802x355x246,7(mm)
31.57x13.97x9.71(in)

Weight empty
5.05kg - 11.10lbs

Colors
Black

page 59

NEW

HPRC5400W



Internal dimension
1140x350x160(mm)
44.88x13.78x6.30(in)



External dimension
1203,7x418x181(mm)
47.39x16.46x7.13(in)

Weight empty
8kg - 17.64lbs

Colors
Black

page 61

WHEELED

HPRC6200



Internal dimension
651x279x242,8(mm)
25.63x10.98x9.56(in)



External dimension
711x335x279(mm)
28x13.19x11.86(in)

Weight empty
3,96kg - 8.73lbs

Colors
Black

page 62

HPRC6300W



Internal dimension
920,8x279x242,8(mm)
36.25x10.98x9.56(in)



External dimension
968x335x299,8(mm)
38.11x13.19x11.80(in)

Weight empty
5,69kg - 12.54lbs

Colors
Black

page 63

WHEELED

HPRC6400W



Internal dimension
1081x279x242,8(mm)
42.56x10.98x9.56(in)



External dimension
1128x335x299,8(mm)
44.41x13.19x11.80(in)

Weight empty
6,44kg - 14.20lbs

Colors
Black

page 64

WHEELED

HPRC6500W



Internal dimension
1280,7x278,9x242,8(mm)
50.42x10.98x9.56(in)



External dimension
1328x335x299,8(mm)
52.28x13.19x11.80(in)

Weight empty
7,20kg - 15.88lbs

Colors
Black

page 65

WHEELED

HPRC0500



Closed dimension
394x280x27,5(mm)
15.51x11.02x1.08(in)

Open dimension
464x350x27,5(mm)
18.26x13.77x1.08(in)

Weight empty
empty: 0,95kg - 2.09lbs

Colors
Black

page 66



Discover all our products
at: www.hprc.it

Plaber S.r.l reserves the right to modify its products at any time and without notice, in order to improve their quality and functionality. Therefore, all the information given in this datasheet is to be considered indicative and subject to possible modifications.

Soft bags and flight cases.

HPRC product range is completed
by soft bags and flight cases.



MADE IN ITALY

Find us on:     **PlaberItalia**
Channel



plaber®

Plaber S.r.l.
Via Div Tridentina, 10
I-36061 Bassano del Grappa
Vicenza - Italy

Tel +39 0424 809 150

USA office and warehouse:

Plaber America Inc
110 Chestnut Ridge Rd. #314
Montvale, NJ 07645

Phone +1(201) 989-3353

www.hprc.it | www.hprcusa.com

info@hprc.it



DORSO!!!